

We claim:

1. A process for producing dry powders of one or more  
5 carotenoids by
  - a) dispersing one or more carotenoids in an aqueous  
molecular or colloidal solution of a mixture of lactose  
and a protective colloid and  
10
  - b) converting the dispersion which has formed into a dry  
powder by removing the water and, where appropriate,  
additionally used solvents and drying, where appropriate  
in the presence of a coating material,  
15wherein at least one soybean protein is used as protective  
colloid in process step a).
2. A process as claimed in claim 1, wherein the dispersion step  
20 a) comprises the preparation of a suspension of one or more  
carotenoids in an aqueous molecular or colloidal solution of  
a mixture of lactose and at least one soybean protein.
3. A process as claimed in claim 2, wherein the suspension  
25 prepared in process step a) is ground before conversion into  
a dry powder.
4. A process as claimed in claim 1, wherein the dispersion in  
stage a) comprises the following steps:  
30
  - a<sub>1</sub>) dissolving one or more carotenoids in a water-miscible  
organic solvent or in a mixture of water and a  
water-miscible organic solvent or
  - 35 a<sub>2</sub>) dissolving one or more carotenoids in a water-immiscible  
organic solvent and
  - a<sub>3</sub>) mixing the solution obtained as in a<sub>1</sub>) or a<sub>2</sub>) with an  
aqueous molecular or colloidal solution of a mixture of  
40 lactose and at least one soybean protein, resulting in  
the hydrophobic phase of the carotenoid as nanodisperse  
phase.
5. A process as claimed in any of claims 1 to 4, wherein at  
45 least one partially degraded soybean protein with a degree of  
hydrolysis of from 0.1 to 20% is used as protective colloid.

## 15

6. A process as claimed in any of claims 1 to 5, wherein the carotenoids used are oxygen-containing carotenoids.
7. A process as claimed in claim 6, wherein the oxygen-containing carotenoids are compounds selected from the group consisting of astaxanthin, canthaxanthin, lutein, zeaxanthin, citranaxanthin and ethyl  $\beta$ -apo-8'-carotenoate.
8. A process as claimed in claim 7, wherein
- a) astaxanthin and/or canthaxanthin is dissolved in a water-miscible organic solvent or a mixture of water and a water-miscible organic solvent at temperatures above 30°C,
- b) the resulting solution is mixed with an aqueous molecular or colloidal solution of a mixture of lactose and a partially degraded soybean protein with a degree of hydrolysis of from 0.1 to 20%, and
- c) the dispersion which has formed is converted into a dry powder.
9. A process as claimed in claim 8, wherein astaxanthin is used as carotenoid.
10. A carotenoid-containing dry powder obtainable by a process as defined in any of claims 1 to 9.
11. A dry powder as claimed in claim 10 with a carotenoid content of from 0.1 to 30% by weight.
12. A dry powder as claimed in either of claims 10 or 11, comprising oxygen-containing carotenoids selected from the group consisting of astaxanthin, canthaxanthin, lutein, zeaxanthin, citranaxanthin and ethyl  $\beta$ -apo-8'-carotenoate.
13. A dry powder as claimed in claim 12, comprising 5 to 20% by weight of astaxanthin.
14. A dry powder as claimed in claim 12, comprising 5 to 20% by weight of canthaxanthin.
15. The use of the carotenoid-containing dry powders as defined in any of claims 10 to 14 as addition to human foods, pharmaceuticals and/or animal feeds.